

AREA CODE 518  
943-2212



# Allied Boat Company Inc.

POST OFFICE BOX 9  
CATSKILL, NEW YORK

June 23, 1967

BILL OF SALE

In consideration of the sum of One Dollar (\$1.00) and other lawful money of the United States paid before delivery, Allied Boat Company, Inc. has sold and conveyed to Windpiper Ltd., Yacht Haven, St. Thomas, Virgin Islands, one Seabreeze Sloop, Hull No. 71.

*Howard Jones*  
Pres.

DOCUMENTED NO. 509413

NET TONNAGE: 10

Amv. Schacter

dated 6-7-67

ALLIED BOAT COMPANY, INC.

BOAT NUMBER SB 71 SB-7153

DATE 1-28-67

SUBJECT - WEIGHT OF MATERIALS

DEPT. - FABRICATING

Rec Back  
3-16-67  
m4D

COPIES TO - HF/OL/OWNER/SEA

WEIGHT OF LEAD BALLAST 3999

WEIGHT OF MATT & WOVEN - HULL 645

WEIGHT OF MATT & WOVEN - DECK 395

WEIGHT OF MATT & WOVEN - HEADLINER 100

WEIGHT OF RESIN - HULL 1020

WEIGHT OF RESIN - DECK 645

WEIGHT OF RESIN - HEADLINER 180

WEIGHT OF RESIN - LEAD & SEAM 460

WEIGHT OF MATT & WOVEN - LEAD & SEAM 255

~~WEIGHT OF RESIN PASTE - HEADLINER~~

WEIGHT OF GELKOTE - HULL white 4100 95

WEIGHT OF GELKOTE - HOUSE white 4100 45

WEIGHT OF GELKOTE - NON-SKID gray 5240 40

WEIGHT OF GELKOTE - HEADLINER white 4100 45

WEIGHT OF MATT & WOVEN - RUDDER 20

WEIGHT OF RESIN - RUDDER 60

SIGNED - FORMAN Al Van Schaack

FILE - MR. FOSTER - MR. DELAVARE - MR. VAN SCHAACK (2-15-67)

dated 6-7-67

INSPECTION CHECK OFF LIST -

PREPARED BY - M. DELAVARE - 240-67

BOAT NUMBER - SB 71 SB-7/53

DEPT. - FABRICATORS

DATE - 3-16-67

PAGE 1 of 2

FOREMAN - ALBERT VAN SCHAACK - INSPECTOR

COPIES TO W/L/H/O/WNER/SCR

HULL -

Rec. 3-16-67  
MJD

- ✓ THICKNESS OF GELKOTE - 18 MILLS
- ✓ FIRST LAYER MATT CHECKED FOR BUBBLES, DEFECTS.
- ✓ NUMBER LAYERS CORRECT.
- ✓ STRIP CLOTH APPLIED - SO IT CAN BE REMOVED WITHOUT SCRUBBING.
- ✓ VISUAL & TAP TEST OF HULL AFTER IT IS REMOVED FROM MOUND, FOR BUBBLES, DEFECTS.
- ✓ BOTTOM SEAMED & SANDED SMOOTH, FROM BOW WATERLINE TO STERN WATERLINE.
- ✓ ALL VOIDS AROUND LEAD FILLED - TAP TEST ON OUTSIDE OF HULL.
- ✓ SB-ONLY - CENTER OPENING GELKOTED & SANDED SMOOTH.
- ✓ INSIDE OF HULL CHECKED FOR ROUGH OR UNEVEN LAYUP - SANDED SMOOTH IF NEEDED - VACUUMED.
- ✓ VISUAL & TAP TEST OF PORT, STBD & STERN FLANGES - DEFECTS REPAIRED, IF ANY.
- ✓ GELKOTED, SANDED & POLISHED SEAMS ABOVE WATERLINE.

DECK -

- ✓ THICKNESS OF GELKOTE 18 MILLS.

cut -

INSPECTION CHECK OFF LIST - CONTINUED

BOAT NUMBER - SB-7153

PREPARED BY M. DELVALE

DEPT - FABRICATORS

PAGE 2 OF 2

DECK - CONT

- ✓ FIRST LAYER OF MATT CHECKED FOR BUBBLES, DEFECTS.
- ✓ BALSA WOOD SEATED PROPERLY - PLYWOOD RE-ENFORCEMENTS IN PLACE.
- ✓ FLANGES ARE OF UNIFORM THICKNESS - SANDED AT OVERLAPS.
- ✓ NUMBER OF LAYERS CORRECT.
- ✓ AFTER DECK IS TURNED - VISUAL & TAP TEST, HOUSE, NON-SKID, COCKPIT LAZARETTE (EVERY INCH) FOR BUBBLES, DEFECTS, LAMINATING STRENGTH.

HEADLINER -

- ✓ THICKNESS OF GELKOTE - 18 MILLS.
- ✓ FIRST LAYER OF MATT CHECKED FOR BUBBLES, DEFECTS.
- ✓ AFTER HEADLINER IS SEATED INTO DECK, VISUAL & TAP TEST FOR BUBBLES, DEFECTS.

BOAT AT STA. #7 PRIOR TO GOING OUT ON PROD. -

- ✓ A COMPLETE OVERALL INSPECTION - CHECK FOR BUBBLES, DEFECTS, DAMAGE SCRATCHES, STRESS MARKS ETC. THAT MAY HAVE INCURRED AS BOAT PROGRESSED THROUGH PROD. LINE.
- ✓ COMPLETE (REPORT) DEFECTS SUBMITTED BY CLEANERS.  
SIGNED - \_\_\_\_\_ FOREMAN. RETURN TO M. DELVALE

2-13-67

Mr. Schachter

COPIES TO W/H/W/S/O/OWNER

designed 6-8-67

WINDPIPER

BOAT # SB-7153

OWNER - MR. SCHACTER

INVENTORY

STORAGE DATE - 3-17-67

OUT OF STORAGE DATE - 5-25-67

SAILAWAY DATE - 6-10-67

TRICKING DATE -

SLOOP - X

KETCH -

YAWL -

PAGE # 1 OF 12

# TYPE MATERIAL - PART NO. - VENDOR - LOCATION - MISC. - SPEC.

By - M. DELAVARE

- ✓ 1 - COLOR OF HULL - WHITE - PIGMENT DISPERSIONS GELKOTE - # 4100
- ✓ 2 - COLOR OF NON-SKID - LIGHT GREY - GLIDDEN GELKOTE - # 5249
- ✓ 3 - COLOR OF HOUSE - WHITE - PIGMENT DISPERSIONS GELKOTE - # 4100
- ✓ 4 - ~~ENGINE PALMER - 22HP - 3000 RPM - MODEL M 60 - SERIAL # 44557-75~~
- ✓ 5 - ~~ENGINE WESTERBERG DIESEL - HP - 37 MODEL 4-107M SERIAL # 107 M 21880~~
- ✓ 6 - LEAD BALLAST - 3999 # EXTRA BALLAST -
- ✓ 7 - BOTTOM PRIMER - WOOLSEY EPOXY # A134 MIXED 4 PARTS TO 1 PART # A172 CURING - X
- ✓ AGENT - BOTTOM PREPERATION - PENATONE - X SANDING -
- ✓ 8 - ANTI-FOULING FINISH BOTTOM PAINT -
- ✓ 9 - COLOR OF BOOT TOP - NAVY BLUE - INTERLUX # 19
- ✓ BOOT TOP RAISED - 3"
- ~~STANDARD HEIGHT BOOT TOP -~~
- ✓ 10 - COLOR OF COVE STRIPE - NAVY BLUE - INTERLUX # 19
- ~~COVE STRIPES - GOLD MYLAR TAPE CONTACT - BY FASSON Co. -~~
- 11 - BULKHEADS -
- ~~TEXTURED TEAK - PLASTIC LAMINATES - ALL - BY TEXTOLITE -~~
- ✓ WHITE - PLASTIC LAMINATES - ALL - BY MICARTA - X
- ✓ HEAD COLOR - PLASTIC LAMINATES - WHITE - BY MICARTA - X
- MIXED PLASTIC LAMINATES AS FOLLOWS -

CONT ->

BOAT # SB-7193 CONTINUED

PAGE # 2 OF 12  
34-MGD

✓ 12- COLOR OF COUNTER TOPS -

A- ~~OFF WHITE PLASTIC LAMINATES -~~

✓ B- TAN. LINEN - PLASTIC LAMINATES - TEXTOLITE # 1119

C- ~~TEXTURED TEAK - PLASTIC LAMINATES -~~

D- ~~BLACK PLASTIC LAMINATES -~~

E- ~~PEARL GREY PLASTIC LAMINATES -~~

F- OTHERS -

✓ 13- EXTERIOR TRIM - TEAK - BY CONDON OILED - PENTA-VAR #59 - X

~~EXTERIOR TRIM - TEAK - BY~~ VARNISHED -

~~EXTERIOR TRIM - MANGONY - BY~~ VARNISHED -

✓ 14- INTERIOR TRIM - TEAK - BY CONDON OILED - PENTA-VAR #59 - X

OTHERS -

✓ 15- HARDWARE - INTERIOR & EXTERIOR - CHROME & ALMAG - X

OTHERS -

✓ 16- FIXED & OPEN PORTS - SCREENS IN OPEN PORTS - ALMAG - ROSTAND CO. - X

17- ~~NAME - GOLD CONTACT LETTERS - BY~~

~~HAILPORT - GOLD CONTACT LETTERS - BY~~

✓ NAME - PAINTED - WINDPIPER (BLUE)

HAILPORT - PAINTED - ST. THOMAS, V. I. (BLUE)

OTHERS -

✓ 18- DOCUMENTATION \* X

EMBOSSED ON TEAK PLAQUE - GLASSED TO  
OUTBOARD LIP OF STBD SEATLOCKER RIM. - ALLIED.

19- REGISTRATION - \*

GOLD CONTACT LETTERS - BY

PAINTED -

CONT →

BOAT # SB-7153 CONTINUED

PAGE # 3 OF 12

134 M.G.D.

- ✓ 20 - # 2 MAIN SHEET WINCH ON TEAK - X MAHOGANY - PEDISTAL -  
✓ SOUTH COAST - X MERRIMAN - OTHERS -
- ✓ 21 - 1 PAIR SHEET WINCHES - # 5  
✓ TILLER PLAN - X CONVERTED TO PEDISTAL STEERER PEDISTAL PLAN - SPECIAL -
- ✓ # 5 MERRIMAN BROS. - X
- ~~# 3 -~~
- ~~# 22 BARTENT -~~
- ~~# 16 BARTENT -~~
- ON HINCKLEY TYPE WINCH BLOCK - STAINLESS STEEL - FIBERGLASS -  
WOOD -
- ✓ 22 - RUDDER - STANDARD - BY ALLIED - X ONE PIECE HEEL CASTING - ESSEX MACHINE - X  
SPECIAL RUDDER -
- ~~✓ 23 - TILLER WITH EXTRA LENGTH LAMINATED CARVED ASH - ALLIED - X~~
- ✓ 24 - PEDISTAL STEERER - RE-ENFORCED - SIDE SHEAVES - EDSON - X W/BRAKE  
20" WHEEL - 22" WHEEL - X 24" WHEEL -
- 25 - ~~WHEEL STEERING (SEAWIND ONLY) STANDARD - EDSON.~~
- ✓ 26 - SHUT OFF VALVE ON EXHAUST LINE - LOCATED IN LAZARETTE - IMPORTANT - X  
OPEN VALVE BEFORE STARTING ENGINE - STANDARD - LOCAL - X
- ✓ 27 - DINETTE TABLE TOP - X - PLASTIC LAMINATES - TAN LINEN - TEXTOLITE # 1119
- 28 - ~~FOLDING TABLE TOP -~~ PLASTIC LAMINATES -
- ✓ 29 - 8½ GAL. HOT WATER TANK - LOCATED FWD IN PORT SAILLOCKER - HOT WATER BY  
ENGINE OR 110 SHOREPOWER - W/30 AMP CARTRIDGE FUSE - SENDWEE - X
- ✓ 30 - 110 VOLT SHOREPOWER - SHORE CONNECTION PORT AFT IN COCKPIT - WITH DOUBLE  
RECEPTACLE IN GALLEY ELECTRIC BOX - 30 AMP CARTRIDGE FUSE - X

CONT →

BOAT - SB-7/53

CONTINUED

PAGE # 4 OF 12

134 MAGD

- ✓ 31- WATER PRESSURE PUMP - PORT SIDE BEHIND ENGINE DOOR ON PLATFORM;  
ALSO ACCESS BY REMOVING POT LOCKER BOTTOM - TAT ENGINEERING -  
# 620 12 VOLT. - X

OTHERS -

- ✓ 32- FAUCETS - ~~SPRING LOADED~~ <sup>NON-SPRING</sup> IN GALLEY - X NON-SPRING IN HEAD - LOCAL - X

OTHERS -

- ✓ 33- ALCOHOL TANK - CAP. 2 GALS - ACCESS FOR FILLING - REMOVE POT LOCKER BOTTOMS  
ALSO EXPOSES SHUT OFF VALVE - CAUTION DO NOT PUMP AIR PRESSURE ABOVE

10 LBS. - AIR VALVE & GANGE LOCATED IN GALLEY ELECTRIC PANEL - HILLER, CALIF. MARINE - X

- ✓ 34- 3 BURNER RANGE & OVEN - GIMBALLED - GIMBAL LOCK AT BOTTOM - HILLER  
CALIF. MARINE. - X

- 35- ~~MARINE STOVE - ANODIZED MODEL # 205-32A - HOMESTEAD -~~

~~OTHERS -~~

- ~~✓ 36- ELECTRIC BILGE PUMP LOCATED STBD BEHIND ENGINE DOOR ON ICE BOX BLKHD -  
DISCHARGE INTO STBD COCKPIT SCUPPER HOSE. HI-CAP # 7000 W/C - X~~

- ✓ 37- ELECTRIC BILGE & SHOWER SUMP PUMP - LOCATED STBD BEHIND ENGINE  
DOOR ON ICE BOX BLKHD - VALVES FOR INDIVIDUAL SUMP LOCATED AND LABELED  
ABOVE ELECTRIC PUMP - DISCHARGE INTO STBD COCKPIT SCUPPER HOSE, HI-CAP  
# 7000 WILCOX-CRITTENDEN - X

- ✓ 38- TOILET - JUNIOR TYPE # 51 (TYPE 3) FIG. 1591 - STANDARD FORE & AFT W/COVER & SEAT  
INTAKE SEACOX UNDER FWD CABIN PORT AFT BANK - DISCHARGE SEACOX W. HEAD - X  
UNDER VANITY - NEXT TO TOILET - X WILCOX-CRITTENDEN.

OTHERS -

- ✓ 39- COLOR OF HEAD SINK - WHITE - GLIDDEN GELKOTE # 5233 - RANDOLPH PLASTICS  
FORE & AFT - X

ATHWARTSHIPS -

CONT ->



BOAT-# SB-7153 CONTINUED

By MGD

PAGE #5 OF 12

- ✓ 40- INSTRUMENT PANEL - "SKIPPER" DELUXE - W/TACHOMETER - IGN-BLOWER SWITCH  
STARTER BUTTON - CHOKE & THROTTLE - RECESSED - STEWART-WARNER - X
- ✓ RECESSED FWD - STBD - ~~X~~ STOWAGE BOX SPECIAL
- ✓ RECESSED AFT - STBD - INSTRUMENTS
- OTHERS -
- ✓ 41- ENGINE VENTILATION BLOWER - AFT, PORT IN COCKPIT - AUTOMATIC  
WHEN IGN./BLOWER SWITCH IS TURNED ON, W/3" BLOWER HOSE RUN  
FWD OF ENGINE DOWN INTO BILGE. - HI-CAP #7050 WILCOX-CRITTENDEN. - X
- ✓ 42- COAST GUARD APPROVED VENTILATION ON STBD QUARTER DECK NEXT  
TO END OF COAMING RAIL. 3" SCREW TYPE DECK PLATE W/#803 COWL  
PIC VENT - MICRO-METAL - 3" BLOWER HOSE RUN DOWN TO JUST  
AFT OF ENGINE. - X
- ✓ 43- WATER TANKS. - + ~~28~~<sup>28</sup> S.S. GAL. TANK FORD UNDER BUNKS. FORD. DECK FILL
- ✓ A- 45 GALS. INTERGAL FIBERGLASS UNDER GALLEY SOLE W/DECK FILL  
STBD AND 4" DECK PLATE CLEAN OUT IN TANK - SEABREEZE - ALLIED - X
- B- ~~50 GALS. STAINLESS STEEL UNDER GALLEY SOLE W/DECK FILL STBD  
AND 4" DECK PLATE CLEAN OUT IN TANK - LOCAL -~~
- C- ~~45 GALS FIBERGLASS (NOT INTERGAL) UNDER MAIN CROWN SOLE W/DECK  
FILL STBD AND 4" DECK PLATE CLEAN OUT IN TANK - SEAWIND - ALLIED -~~
- ✓ 44- WATER SYSTEM - PRESSURE HOT & COLD - X  
NON-PRESSURE - HAND PUMPS -
- ✓ ~~45- COAST GUARD APPROVED LOCATION UTILITY BILGE PUMP PAR #3980 LOCATED  
IN OILSKIN LOCKER OPENING - DISCHARGE INTO STBD COCKPIT SKIPPER HOSE  
SCREEN ON HOSE AT BILGE END - X~~
- OTHERS - HENDERSON 10 GAL. PER MIN INSTALLED INTO OILSKIN LOCKER  
COIT →

BOAT # SB-7163 CONTINUED

By MGD

PAGE # 6 OF 12

- ✓ 46- PROPELLORS - ~~13 X 8 2 BLADED RIGHT - COLUMBIAN - X~~  
3 BLADED 13 X 8 3 BLADED RIGHT - COLUMBIAN - ?  
10 X 8 13 X 8 2 BLADED LEFT - COLUMBIAN -  
7/8" BORE 13 X 8 3 BLADED LEFT - COLUMBIAN - ?
- ✓ 47- LATCHING CHEEK BLOCKS - AFT OF GENOA TRACKS - MERRIMAN - X  
SOUTH COAST -
- ✓ 48- CABIN SOLES - OILED TEAK - PENTA-VAR #59 - X  
VARNISHED TEAK -
- ✓ 49- CABIN LIGHTS - STANDARD ARRANGEMENT W/ BULBS & SHADES - 4 LIGHTS  
IN MAIN CABIN - 1 LIGHT W/ 12 VOLT PLUG IN, IN HEAD - 1 LIGHT PORT IN FWD  
CABIN - FIXTURES #1066 WILCOX-CRITTENDEN - X  
OTHER ARRANGEMENT -
- 50- ~~CURTAIN TRACKS OVER & UNDER FIXED PORTS W/ RHT CURTAIN TAB TAPE~~  
By VERSI -
- ✓ 51- BATTERYS - 2 <sup>→ 90 AMP HOURS</sup> W/ HOLD DOWNS - 12 VOLT - ~~RESTOLITE~~ - 4 WAY SAFETY SWITCH  
LOCATION - STBD SAILLOCKER FWD W/ TOOL TRAY -  
PORT SAILLOCKER FWD - X
- ✓ 52- LIFELINES W/ GATES AND #901 PAD EYES FOR DROPPING ON FOREDECK -  
A - SINGLE - X STAR MARINE - X  
B - DOUBLE - STAR MARINE -
- OTHERS -
- ✓ 53- BOW PULPIT W/ RUNNING LIGHTS - STAINLESS STEEL - MARINE FASHIONS - X  
HI-STYLE -
- ✓ 54- STERN PULPIT - STAINLESS STEEL - MARINE FASHIONS - X  
HI-STYLE -

CONT →

BOAT-# SB-7153 CONTINUED

By MGD

PAGE # 7 OF 12

- ✓ 56- ANCHOR ROPE - STBD FOREDECK #2066 ROSTAND - X  
OTHERS -
- ✓ 57- CUSHIONS - NAWAHOYE - W/ZIPPERS - JESSUP - SPECIAL BLUE
- ✓ A- DINETTE ARRANGEMENT - X COLOR - BLUE
- ~~B- 6 BUNK LAYOUT - COLOR~~
- ✓ 58- FWD CABIN V FILLER PIECES (2) COLOR - BLUE LOCAL - X
- 59- ~~DOME LIGHTS - OVER ENGINE -~~ DURKEE -  
~~OVER CHART TABLE/ICE BOX -~~ PERKO -  
OTHERS -
- 60- WORK JIB SHEET LEADS - LOCATION -
- 61- COWL VENT ON FOREDECK - 3" 4" STBD - PORT - PVC SCREW  
TYPE - MICRO-METAL #803.
- ✓ 62- EXTRA WATER TANKS -
- A- ~~UNDER BUNK FLATS IN FWD CABIN - INTERGAL-FIBERGLASS 35 GALS - DECK  
FILL - LABELED VALVES UNDER VANITY SO MAIN OR FWD TANK CAN BE USED  
SEPARATELY - ALLIED -~~
- ✓ B- OTHERS - STAINLESS STEEL <sup>25 GALS.</sup> (AS NOTED BEFORE) UNDER FWD CABIN BUNK FLATS - VALVES & DECK FILL
- 63- ~~INTERNAL VISIBLE RAW WATER STRAINER ON ENGINE WATER INTAKE THRO-  
HULL - STANDARD ON DIESELS ONLY - WILCOX-CRITTENDEN -~~
- ✓ 64- RADIO-TELEPHONE - OWNERS ALLIED - OWNERS - ✓
- ✓ A- STANDARD LOCATION VERTICAL MOUNT OUTBOARD IN OILSKIN LOCKER -  
B- HORIZONTAL ON PLATFORM OUTBOARD IN OILSKIN LOCKER -  
C- OTHERS - PLACEMENT BY OWNER.
- WITH 2 GROUNDS AND CARTRIDGE FUSE -

CONT. →

BOAT-# SB-7153 CONTINUED

By MGD

PAGE # 8 OF 12

- ✓ 65- TELEPHONE TYPE SHOWER - STOWAGE BRACKET UNDER VANITY - STATIONARY  
BRACKET ON FWD BLKHD - SHOWER SWMP DRAINED BY ELECTRIC BILGE PUMP.  
HOOK TO SINK FANGETS - X
- 66- ~~HINGED ICE BOX TOP - SEABREEZE - LINDERS - ALLIED~~
- ✓ 67- BI-FOLD DOOR - TEAK - OILED - PENTA VARR #59 - ALLIED - X
- 68- ~~PRIVACY CURTAINS - METAL TRACK & SLIDES - LOCATION -~~
- ✓ 69- GAS TANK UNDER COCKPIT SOLE - FILL IN COCKPIT SOLE - 30 GALS  
W/DIPSTICK - MONEL - (GROUNDED) - "SEAFARER" - ALLCRAFT - X
- 70- ANCHOR CHOCKS - PVC - STANDARD MOUNT. STBD AND JUST AFT OF MAIN MAST  
STEP ON CABIN TOP -  
OTHERS -
- 71- ~~6 BANK LAYOUT -~~
- ✓ 72- DINETTE LAYOUT - X  
OTHERS -
- 73- ~~PIPE BERTH IN FWD CABIN PORT SIDE - SB-L33 -~~  
~~PIPE BERTH IN MAIN CABIN PORT SIDE - SEAWIND -~~
- ✓ 74- CENTER BOARD (SB ONLY) ALUMINUM 110 LBS - X  
~~CENTER BOARD (SB ONLY) BRONZE 350 LBS - ESSEX -~~
- 75- ~~SCREENS FOR FWD HATCH -~~ MAHOGANY - TEAK - ALLIED  
~~SCREENS FOR MAIN HATCH -~~ MAHOGANY - TEAK - ALLIED
- 76- BATTERY CHARGER - OWNERS - ALLIED -  
LOCATION -
- 77- BATTERY CHARGE INDICATOR -

CONT →

BOAT-# SB-7153 CONTINUED

By MGD

PAGE # 9 OF 12

- ~~78- TEAK INLAY SEATLOCKERS - ALLIED-~~
- ~~79- WIND DIRECTION INDICATOR -~~
- ~~80- WIND SPEED INDICATOR -~~
- ~~81- DINGHY CHOCKS -~~
- ~~82- #6 WINCHES -~~  
~~# 3 WINCHES -~~
- ~~83- JIB CLUB W/PEDISTAL AND #901 PADEYES. - LONG CLUB~~
- ✓ 84- ALL SPARS ANODIZED ALUMINUM - X  
SPAR COAT -
- ✓ 85- STAINLESS STEEL RIGGING - STANDARD - X
- ✓ 86- INSULATED BACK STAY - STANDARD - X
- ✓ 87- ROLLER REEFING - STANDARD - X
- ✓ 88- GENOA GEAR COMPLETE W/~~HATCHING CHEEK BLOCKS L33-~~  
#4 PADEYES AFT SB/SW - X
- 89- SPINNACKER GEAR COMPLETE - W/\*901 PADEYES AMIDSHIPS AND #4  
PADEYES AFT. -
- ✓ 90- SPREADER LIGHTS - STANDARD #9352 - WILCOX - CRITTENDEN - SWITCH IN  
GALLEY ELECTRIC BOX. - X
- ✓ 91- BOW LIGHT - STANDARD ON MAST. - X
- ✓ 92- MASTHEAD LIGHT ON MAST TRACK - CHROME - WILCOX - CRITTENDEN. - X
- 93- ~~CRADLE - RE-ENFORCED FOR TRACKING - LOCAL. -~~
- ✓ 94- COCKPIT CUSHIONS NANGAHUDE - COLOR - JESSUP - X
- ✓ 95- 2-4" DORADE VENTS P&S ON CABIN TOP - PVC COWLS W/STAINLESS  
STEEL CLAMPS - MICRO-METAL STANDARD SB-L33 - X  
CONT →

BOAT-# SB-7153 CONTINUED

By MGD

PAGE #10 OF 12

- ✓96- ICE BOX - CAP 150 LBS ICE - INSULATED - FIBERGLASS W/ DRAIN BEHIND ENGINE DOOR - SHELF - DIVIDER AND FLOOR GRATING - SB-L33 - ALLIED TOP OF ICE BOX USE AS A CHART TABLE - X
- ✓97- TEAK HANDRAILS P&S MAIN CABIN - SB & L33 STANDARD - ALLIED - X
- 98- TEAK HANDRAILS P&S MAIN CABIN - OPTIONAL SW - ALLIED -
- ✓98- COMPASS -
- A- 5" CONSTELLATION MOUNTED ON PORT CABIN TRACK - LIGHTED - ~~STOWAGE BRACKETS STOOD ON FOREPEAK BLKHD FWD CABIN - DANFORTH/WHITE - W/BIC # C~~
- ✓B- 5" CONSTELLATION COMPASS MOUNTED ON PEDISTAL STEERER - LIGHTED W/BIC AND BINNACLE. DANFORTH/WHITE - X
- C- OTHERS -
- 99- DEPTHFINDER - WHITE TRANSCENTARY MARK IIA - MOUNTED ON HINGED PANEL SO IT WILL SWING TO BE READABLE FROM COCKPIT OR CHART TABLE.
- OTHERS -
- 100- TRANSDUCER - INBOARD UNDER STBD TRANSOM BUNK IN WATER TIGHT BOX W/ HATCH IN BUNK FLAT, WATER FILL & KEY AND 2 #4 EVEREARM #510S 6VOLT DRY CELL BATTERYS IN TEAK BOX -
- OTHERS -
- 101- SPEEDOMETER - KENYON #444-A - INDICATOR MOUNTED HIGH ON STBD CABIN TRACK - THRU-HULL & STWNT STBD BEHIND ENGINE DOOR. -
- OTHERS -

CONT →

BOAT-# SB-7153 CONTINUED

B4 M4D

PAGE # 11 OF 12

B4 M4D

- 102- MAST WINCHES-
- ✓ A- #2 MAIN REEL HLYD - MERRIMAN - X OTHERS-
  - ✓ B- #2 TOP ACTION JIB HLYD - SOUTH COAST - X OTHERS-
  - ✓ C- #2 TOP ACTION SPINDACKER HLYD - SOUTH COAST - OTHERS-
  - D- OTHERS-

✓ 103- SAILS-

✓ A- MAINSAIL - X

B- WORKING JIB-

✓ C- #4 GENOA - X

✓ D- #1 GENOA - X

E- #2 GENOA-

F- #3 GENOA-

G- STORM JIB-

H- SPINNACKER-

I- SPINNACKER STAY SAIL-

J- DRIFTER-

K- YAWL MAINSAIL -

L- MIZZEN-

M- MIZZEN STAY SAIL-

✓ N- MAINSAIL COVER - X

O- MIZZEN COVER-

P- TRY SAIL-

104- MIZZEN STAY SAIL GEAR COMPLETE W/RUNNING BACKSTAY - #901 PADEGES  
ON AFTER DECK TO RECEIVE PELICAN HOOK-

MAINSAIL - HILD 1970

WORKING JIB - 1971 HILD

GENOA JIB - 1972 (A 160°) CUT DOWN  
AT 150° - 1973

SPINNACKER - USE ~~GENOA~~ SPINNACKER -  
GET IT IN 1970

CONT →

BOAT-# SB-7153 CONTINUED

Bq-MGD

PAGE # 12 OF 12

105- CLORINATOR -

- ✓ 106- FIRE EXTINGUISHERS - X DRY CHEMICAL **① MOUNTED IN LAZARETTE**  
**① " NEXT TO LADDER**
- 107- DOOGER -
- 108- COCKPIT GRATING - TEAK - ALLIED -
- 109- REACHING STRAT W/FITTINGS ON MAST - #417 PAGEYES -
- ✓ 110- LOCATION OF EXHAUST OUTLET - STBD 1" BELOW TRANSOM.
- 111- ~~FOLDING~~ STEP IN TWO CABIN FOR ACCESS THRU FWD HATCH - PERKO -
- 112- ~~FIXED~~ SPINNACKER NET -
- 113- TRAVELER TRACK ARRANGEMENT -

In. Delaware 1-1-67

MISC. ITEMS OR EXTRAS

- 1- 12 FT RUBBER COATED CHAIN.
- 2- 3 POUND BUMPERS W/LINES
- 3- AWNING
- 4- WOODEN SWIMMING LADDER
- 5- TEAK GRAB RAIL - VERTICAL PORT SIDE INSIDE MAIN COMPANIONWAY
- 6- 20# ANCHOR

In. Delaware 6-8-67